

flotex®tiles



Flotex; the unique floor covering

A floor covering that looks and feels like a carpet without any of the drawbacks of a carpet. Flotex has a smooth, velour like surface that is comfortable to walk on, warm underfoot with excellent slip resistant and acoustic properties.

Flotex is extremely durable and will retain its appearance for many years. It can be cleaned using standard cleaning equipment and as the flocked fibres are firmly anchored into a waterproof backing, it's possible to clean right down to the base of the pile.





of SANITIZED AG License No 2893.04

Improving both your environment and that of the Earth


Hygiene, air quality and the environment are more important than ever. Many products offer one of these properties but often at the expense of another important property. With Flotex you can have it all.

Flotex; the hygienic option


Flotex offers a warm, comfortable, hygienic floor



Flotex combines the practicality of a resilient flooring with the slip resistant and acoustic properties usually associated with textiles. Being completely waterproof, Flotex is also the only truly washable textile floor covering. It can be cleaned at 100°C for rapid steam disinfection.



Adhesive layer containing Sanitized® anti-microbial agent Migration of Sanitized® anti-microbial agent into pile and backing





Flotex; for improved air quality

Flotex is allergy approved

Flotex is approved by Allergy UK as it's proven to have a positive impact on the lives of allergy sufferers. It has the ability to trap allergens and then safely release them to standard cleaning appliances. When cleaned, Flotex releases twice as many allergens compared to the cleaning of conventional carpets. More harmful allergens are removed, creating a more comfortable environment for asthma and allergy sufferers. Flotex is treated with Sanitized® which suppresses the growth of house dust mite populations (dermatophagoides pteronyssinus) - even in

places where it is difficult to reach for thorough vacuuming. Independent tests demonstrate that a dust mite population introduced to a sample of Flotex with Sanitized® is reduced by an average of 86% over an 8 week period.

Flotex designs, a world of a difference Flotex designs are printed on the smooth, even fibre surface creating a wide variety of colourways and designs that enhance the professional or playful environment of offices, schools or health care institutions.

Flotex; creating better environments - recycled tile backing




As a responsible manufacturer we share your ambitions for a sustainable world. We fully comply, as a minimum, with current environmental legislation and are fully committed to overcoming the environmental challenges facing our industry.

We constantly strive to find effective ways to minimize our consumption of resources while producing high performing products with a long lifecycle. We have almost completely eliminated our use of landfill by installing the first recycling plant of its kind to convert pre-consumer waste from many

of our production sites into a high performance Flotex carpet tile backing. Today this facility processes nearly 50 tonnes of waste a week.

Besides the environmental advantages, this tile backing also gives a highly durable product which will last for many years.





flotex[®] silica

Create sophisticated interior moods with Flotex silica, a linear design in a distinctive collection of muted earth and mineral tones. It brings tranquillity to the modern office environment, conference centre or





Soiling classification

In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to `hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide `general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.


Superior appearance rating

● Good appearance rating

Moderate appearance rating

flotex[®] samoa

Flotex samoa is a vivid graphic design in a range of striking contemporary colours. This design is fun yet practical and works well in education and hospitality environments. The design can be installed in either chequerboard or broadloom style.



Soiling classification


chequerboard installation


In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to 'hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide 'general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.

Superior appearance rating

● Good appearance rating


Moderate appearance rating





flotex[®] integrity

Flotex integrity is the perfect fit for the office and business environment. It is suitable for both large and moderately sized spaces that require a tranquil modern atmosphere. The basic colours of Flotex integrity and the subtle pinstripe design offer a distinctive floor for the professional setting.





Soiling classification

In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to 'hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide 'general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.

Superior appearance ratingGood appearance rating

Moderate appearance rating

flotex® montana

Created to express individuality, the wide colour range of Flotex montana, combined with the subdued semi-plian all-over design, turns environments into agreeable working and learning spaces for a broad range of interiors.



Montana is also available in sheet, 2.00 metre width



Soiling classification


In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to 'hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide 'general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.


Superior appearance rating

● Good appearance rating

Moderate appearance rating


Flotex tile size 50x50cm





flotex[®] samba

Samba offers a wide colour choice combined with a semi-plain, random pattern that adds interest to its environment. The pattern can easily be combined with other colours or Flotex ranges and is available in both sheet and tile format



Samba is also available in sheet, 2.00 metre width



Chequerboard installation

Soiling classification

In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to `hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide `general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.


Superior appearance rating

Good appearance rating

Moderate appearance rating

flotex[®] senya

Whether in hospitality, business, retail or education, the Flotex senya tile range delivers character and practicality to the environment. The tranquil, geometric design adapts easily to its environment, creating a quiet overall floor design.




Senya is also available in sheet, 2.00 metre width




Soiling classification


In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to 'hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide 'general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.






Flotex tile size 50x50cm





flotex[®] palma

Flotex palma is an abstract random pattern in a variety of basic colours. It offers a distinctive look and is well suited for hospitality and retail environments.





Soiling classification


In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to 'hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide 'general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.

Superior appearance ratingGood appearance ratingModerate appearance rating

Flotex tile size 50x50cm

flotex[®] penang


Flotex penang offers a stunning look for any modern environment. It creates a subtle linear effect and comes in a range of rich modern shades.






Soiling classification


In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to 'hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide 'general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.



Moderate appearance rating


Flotex tile size 50x50cm





flotex[®] oslo

Flotex oslo is a modern geometric design that can be installed in both a chequerboard and broadloom fashion. It is available in 8 stylish colourways suitable for a wide range of professional environments.





Broadloom or chequerboard installation

Soiling classification

In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to `hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide `general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.

Superior appearance rating


Good appearance rating

Moderate appearance rating

Flotex tile size 50x50cm

flotex[®] seoul

Flotex seoul is a heavily textured geometric design and is tailormade for today's busy modern office environments.





Broadloom or chequerboard installation

Soiling classification

In circumstances where the design of the entrance system is inadequate for the level of traffic or unsuited to the type of soiling entering the building, dirt and moisture may be carried onto the surface of the interior floorcoverings, in this case, onto the Flotex tiles. Flotex tiles are able to `hide' soiling to a greater or lesser degree depending on their colour and design. Using objective testing methods, we have graded every one of the Flotex tiles within this brochure on their ability to hide `general' dirt. The result of these tests is a soiling classification which is shown alongside each product reference number in the following pages of this brochure.




Superior appearance rating



● Good appearance rating

Moderate appearance rating



Technical specifications

This textile floor covering meets the requirements of EN 1307

			Flotex tile
6 V	Total thickness	ISO 1765	5.3 mm
	Commercial heavy	EN 685	Class 33
	Tile size		50 x 50cm
	Quantity of tiles per box		3 m²
	Total weight	ISO 8543	4.5 kg/m ²
K Z	Dimensional stability	EN 986	<0.2 %
	Abrasion resistance	EN 1963	< 35 g Pile loss
	Castor chair continuous use	EN 985	r = ≥ 2.4 Continuous use
P	Light fastness	EN ISO 105 B02	6
	Slip resistance	DIN 51097	> 0.7 Dry and wet
		UK SGR pendulum	Dry – very low slip Wet – low slip
≥10°Ω	Electrical resistance	ISO 10965	> 10 ⁹ Ω
	Acoustic	ISO 140-8	Impact sound $\Delta Lw = 17 dB$
(a)))	Acoustic	ISO 354	Sound absorption = 0.10
	Flotex meets the requirements of EN 14041		€ EN 14041
B _{ff} -s1	Reaction to fire	EN 13501-1	Bfl, s1
DS DS	Slip resistance	EN 13893	DS: > 0.30
	Body voltage	ISO 6356	< 2kV
***		150 0000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Thermal resistance	ISO 8302	0.0456 m ² K/W

Forbo FloorCare method

Flotex tiles

A regular cleaning programme will minimise the need for major restorative maintenance.

Avoid excessive use of cleaning products. If used, rinse them out thoroughly, as remains may attract dirt.

Cleaning after installation



- Vacuum clean the floor using an upright vacuum cleaner with a powered brush
- Remove stains or spills locally using clean warm water
- Always work from outside inwards
- Remove excess water
- Allow the floor to dry

Regular cleaning



- Vacuum clean the floor using an upright vacuum cleaner with a powered brush
- Remove stains or spills locally using clean warm water
- Always work from outside inwards
- Remove excess water
- Allow the floor to dry

Occasional maintenance



• First soak stains locally by spraying with a solution of mild detergent



- Scrub with plenty of warm water, using a machine for carpet wet cleaning with brush action
- Allow the floor to dry



Baltic States

Forbo Flooring K. Ulmana gatve 5 Riga, LV-1004, Latvia Tel.: +371 670 66 116 Fax: +371 670 66 117 E-mail: info.lv@forbo.com www.forbo-flooring.com

Czech & Slovak Republic

Forbo s.r.o.
Novodvorská 994
142 21 Praha 4Česká republika
Tel.: + 420 239 043 011
Fax: + 420 239 043 012
E-mail: info@forbo.cz
www.forbo.cz

Hungary

Forbo Flooring Hungary Megyeri út 8. H-1044 Budapest Tel.: + 36 12 72 05 63 Fax: + 36 12 72 05 63 E-mail: info.hungary@forbo.com www.forbo-flooring.hu

Poland

Forbo Flooring Poland ul. Wolsztyńska 2 60-361 Poznań Tel:: +48 (61) 862 13 82 Fax: +48 (61) 622 99 71 E-mail: info@forbo-flooring.pl www.forbo-flooring.pl Infolinia: 0800 46 46 49

Russia

Forbo Flooring Russia 105082 Moscow 2nd Irininsky per. 3/5, str 1 office 400 Tel.: +7-495-7855774

+7-495-7855799 Fax: +7-495-7852729 E-mail: forbo-rus@elnet.msk.ru www.forbo.ru

Korea

www.linoleum.ru

Forbo FlooringKorea #207 Koryo B/D 88-7 Nonhyun-dong Kangnam-gu, 135-818 Seoul, Korea Fel.: 82 2 3443 0644 Fax: 82 2 3443 0284 E-mail: info@forbo.co.kr

Portugal

Forbo – Revestimentos S.A.

Zona Industrial da Maia I, Sector IV, Lote 53

Campos Verdes - Moreira da Maia

Apartado 6091

4476-908 Maia

Tel.: +351 22 999 69 00

Fax: +351 22 999 69 09

E-mail: info.portugal@forbo-linoleum.pt

Middle East/Turkey/Maghreb/AfricaFrench Overseas Territories/Greece

Forbo Flooring Systems 63, rue Gosset – BP 2717 51100 REIMS Cedex France Tél. 00 333 26 77 35 00 Fax 00 333 26 07 18 93 info-produits@forbo.com www.forbo-flooring.com

South East Asia

Forbo Flooring 190 Middle Road, #19-05 Fortune Centre Singapore 188979 Singapore Tel.: + 65 6852 9805 Fax: + 65 6759 9212 E-mail: leotan@forbo.com www.forbo-flooring.com

Internet: www.forbo-flooring.com

China

Forbo Flooring China 6 Floor, Ansheng Business Center No. 77 Fenyang Road Shanghai 200031 P. R. China Tel: 0086 21 6473 4586 Fax: 0086 21 6473 4757 E-mail: info.cn@forbo.com www.forbo-flooring.com.cn

Other countries

Forbo Flooring B.V. P.O. Box 13 1560 AA Krommenie The Netherlands Tel.: +31 75 647 74 77 Fax: +31 75 647 77 01 E-mail: contact@forbo.com www.forbo-flooring.com

www.forbo.co.kr